





SUMAN STEELS INDIA LLP[®]

AN ISO 9001 : 2015 CERTIFIED ORGANIZATION

EXPORTER, IMPORTER, STOCKIST IN :
PLASTIC MOULD STEEL, TOOL STEEL, DIE STEEL, HOT DIE STEEL, ALLOY STEEL,
CASE HARDENING STEEL, CARBON STEEL, C45 PLATES, MILD STEEL,
HIGH SPEED STEEL, MACHINED PLATES, NON FERROUS

Transforming Potential Into Performance

🌐 : www.sumansteels.com
✉ : info@sumansteels.com
✉ : sumansteel@gmail.com





FOUNDER

LATE NYALCHAND T SHAH



PARTNER

Dr. NIILESH N SHAH



PARTNER

Mr. NAITULL N SHAH



PARTNER

Mr. BHAUMIK N SHAH

Established in the year 1960 under the vision and auspicious hands of Late Shri Nyalchand T Shah, the organization possesses more than five decades of rich expertise. Currently driven by expertise & prolific management of Dr. Nilesh N Shah and the third-generation visionaries Mr. Naitull N Shah & Mr. Bhaumik N Shah, the organization has expanded its horizon to the newer technologies, adapting newer capabilities and constantly encouraging innovation.

WORK EXPERIENCE:-

Year 1960 – present, Maharashtra, India

SUMAN STEELS INDIA LLP has emerged as one of the India's front leading importer, exporter and stockiest providing world class quality of tool steel, die steel, plastic mould steel, alloy steel, EN series, hot die steel, mild steel, C45 plates, non-ferrous, welding rods, forged bars, R2, titanium, high-speed steel, machined plates. We are exporting to many countries such as Saudi Arabia, Qatar United Arab Emirates (UAE), Africa etc.

CORE STRENGTH:-

Self-driven and motivated entrepreneurs with a proven track record of success achieved by us that is evident in our growth and manned by qualified & skilled professionals together with trained staff from steel industries.

QUALITY ASSURANCE:-



Our organization undertakes the best international practices for quality checks and adheres to strict rules & regulations to maintain the standards. Each phase in the process-raw materials-to finished goods is meticulously examined and verified by the experts.

An ISO 9001: 2015 certified, **SUMAN STEELS INDIA LLP** emphasizes on rich quality products and impeccable services.

CLIENTLES:-

SUMAN STEELS INDIA LLP has grown over the years into a highly established and reputed organization and serving a ever growing long list of customers. Our domestic & international customers comes from different industries which includes:

- | | |
|--|---|
| ☐ Dies & Mould Manufacturer | ☐ Gears Manufacturing |
| ☐ Machine Manufacturer | ☐ Fabrication |
| ☐ Automobile Ancillaries | ☐ Defence Part Manufacturing |
| ☐ Tools Manufacturing | ☐ Engineering Products |



OUR OBJECTIVES:-

- ❑ To offer best quality products and services.
- ❑ To become a globally renowned supplier of steel.
- ❑ Ensure timely delivery and unimpeachable services even post sales.
- ❑ Ensure availability of valid calibrated monitoring and measuring instruments.

PRODUCTS :

Mild Steel (MS)

- ❑ Black / Bright
- ❑ HR/CRCA Sheets
- ❑ Plates - IS 2062 / A-36 / S-355
- ❑ Chequered Plates
- ❑ Profile Plates
- ❑ Boiler quality Plates

Carbon Steel

- ❑ EN-8 / AISI 1045
- ❑ EN-9 / AISI 1055
- ❑ C - 45

Hot Work Tool Steel

- ❑ H-11 (1.2343)
- ❑ H-13 (1.2344)
- ❑ H-21 (1.2581)
- ❑ Die Block (1.2714)

Case Hardening Steel

- ❑ SAE 8620
- ❑ EN-36
- ❑ EN-353
- ❑ 20MnCr5

High Speed Steel

- ❑ M-2
- ❑ M-35
- ❑ M-42
- ❑ T-1
- ❑ T-4

Plastic Mould Steel

- ❑ P-20 (1.2311)
- ❑ P-20+Ni (1.2738)
- ❑ P-20+S (1.2312)
- ❑ P-20 (1.2316)
- ❑ R 2

Pipes

Non Ferrous
Titanium
Graphite
Hardware Items
Welding Electrodes

Alloy Steel

- ❑ EN-19 / AISI 4140
- ❑ EN-24 / AISI 4340
- ❑ EN-31 / SAE 52100
- ❑ EN-41B
- ❑ K310

Cold work Tool Steel

- ❑ D2(1.2379) / SKD11
- ❑ D3(1.2080)
- ❑ O1(1.2510) / OHNS
- ❑ S-1

MACHINING & GRINDING OF CUSTOMIZED PLATES :-



We deliver customized pre-machined and ground plates as per customer's requirements with very close tolerances. Machining, rotary grinding, surface grinding, chamfering within the right angles are delivered on time to the customer's delight.

MACHINED PLATES :-

Machined blank plates that are processed on all sides and used primarily to make moulds, dies, tools and machine parts. The machining plates are ideal for manufacturing mould plates that requires extensive use of machining, as well as inserting slides, cutting & tooling elements. We maintain the stock of machined plates for grades like mild steel(MS), carbon steel(C45), P20.

We have always believed in transforming the potential into performance and expanding our base in various ranges of standardized materials and sizes. The various standardized ranges have enormous benefits like-

- ❑ Quality & tested materials.
- ❑ Just in time in case of urgent orders.
- ❑ Savings in time thereby providing greater efficiency.
- ❑ Flexibility.
- ❑ Cost effective.
- ❑ Quick deliveries.



CHEMICAL COMPOSITIONS OF MATERIALS

MATERIAL NAME	CARBON C%	SILICON Si%	MANGANESE Mn%	CHROMIUM Cr%	MOLYBDENUM Mo%	TUNGSTEN W%	VANADIUM V%	COBALT Co%	PHOSPHORUS P%	SULPHUR S%	NICKEL Ni%
MS	0.15-0.25	0.15-0.25	0.30-0.65						≤ 0.055%	≤ 0.055%	
EN1A	≤ 0.15%	0.10-0.40	0.80-1.40						0.06-0.07	0.2-0.3	
EN8	0.35-0.45	0.05-0.35	0.60-1.00						≤ 0.06%	< 0.06%	
EN8D	0.40-0.45	0.15-0.35	0.60-0.90						≤ 0.04%	< 0.05%	
C-45	0.45-0.60	0.15-0.35	0.60-0.90	< 0.40	< 0.10				≤ 0.045%	< 0.05%	< 0.40
EN9	0.50-0.60	0.15-0.35	0.50-0.80						≤ 0.05%	< 0.05%	
CASE HARDENING STEEL											
16MnCr5	0.14-0.2	0.15-0.35	1.00-1.30	0.80-1.10	0.20-0.30				≤ 0.035%	≤ 0.035%	
20MnCr5	0.17-0.22	0.15-0.35	1.10-1.40	1.00-1.30					≤ 0.035%	≤ 0.035%	
EN353	0.1-0.2	0.15-0.35	0.5-1.00	0.75-1.25	0.08-8.15				≤ 0.05%	≤ 0.05%	1.00-1.35
SAE8620	0.18-0.23	0.15-0.35	0.70-0.90	0.40-0.60	0.15-0.25				≤ 0.035%	≤ 0.04%	0-4-0.7
EN36	0.12-0.18	0.10-0.35	0.30-0.60	0.60-1.10	0.11-0.25				≤ 0.05%	≤ 0.05%	3.00-3.75
ALLOY STEEL											
EN19	0.35-0.45	0.10-0.35	0.5-0.8	0.90-1.50	0.20-0.40				≤ 0.05%	≤ 0.05%	
EN24	0.35-0.45	0.10-0.35	0.45-0.70	0.90-1.40	0.20-0.35				≤ 0.05%	≤ 0.05%	1.3-1.8
HIGH SPEED STEEL											
AISI M2	0.78-0.88	0.20-0.40	0.20-0.40	3.75-4.50	4.50-5.50	5.50-6.75	1.60-2.20	-	≤ 0.035%	≤ 0.035%	
AISI M35	0.85-0.95	0.00-0.40	0.00-0.40	3.75-4.50	4.75-5.25	6.00-6.75	1.75-2.15	4.60-5.20	≤ 0.035%	≤ 0.035%	0.00-0.40
AISI M42	1.05-1.15	0.15-0.65	0.15-0.40	3.50-4.25	9.00-10.00	1.15-1.85	0.95-1.35	7.75-8.75	≤ 0.035%	≤ 0.035%	
AISI T1	0.65-0.75	0.20-0.40	0.20-0.40	3.75-4.50	-	17.25-18.75	0.90-1.30	-	≤ 0.035%	≤ 0.035%	
AISI T4	0.70-0.80	0.20-0.40	0.20-0.40	3.75-4.50	0.70-1.00	17.25-18.7	0.80-1.20	4.25-5.75	≤ 0.035%	≤ 0.035%	
AISI T5	0.75-0.85	0.20-0.40	0.20-0.40	3.75-4.50	0.70-1.00	17.50-19.0	1.80-2.40	7.00-9.00	≤ 0.035%	≤ 0.035%	
AISI T42	1.25-1.40	0.00-0.40	0.00-0.40	3.75-4.50	2.75-3.50	8.50-9.50	2.75-3.25	9.00-10.00	≤ 0.035%	≤ 0.035%	0.00-0.40
COLD WORK TOOL STEEL											
AISI D-2	1.40-1.60	0.10-0.50	0.15-0.50	11.0-13.0	0.7-1.00	-	0.75-1.10		≤ 0.035%	≤ 0.035%	
AISI D-3	1.90-2.20	0.10-0.40	0.15-0.45	11.0-13.0	-	-	-		≤ 0.035%	≤ 0.035%	
AISI O-1	0.85-0.95	0.20-0.40	1.00-1.30	0.40-0.60	-	0.40-0.60	Option		≤ 0.035%	≤ 0.035%	
AISI O-7	1.10-1.30	0.60-0.60	1.00-1.00	0.35-0.85	0.30-0.30	1.00-2.00	Option		≤ 0.035%	≤ 0.035%	
AISI A-8	0.50-0.60	0.75-1.10	0.50-0.50	4.75-5.50	1.15-1.65	1.00-1.50	-		≤ 0.035%	≤ 0.035%	
AISI S-1	0.45-0.55	0.25-0.45	0.20-0.40	1.25-1.75	0.40-0.40	1.00-3.00	0.15-0.30		≤ 0.035%	≤ 0.035%	0.3
EN31	0.90-1.20	0.10-0.35	0.30-0.75	1.00-1.60	-	-	-		≤ 0.035%	≤ 0.035%	
K310	0.83-0.90	0.15-0.35	0.30-0.45	1.60-1.90	0.20-0.35	-	0.05-0.15		≤ 0.035%	≤ 0.035%	
HOT WORK TOOL STEEL											
H-11	0.30-0.40	0.80-1.20	0.20-0.50	4.75-5.50	1.1-1.4		0.25-0.5		≤ 0.035%	≤ 0.035%	
H-13	0.30-0.40	0.80-1.20	0.20-0.40	4.75-5.50	1.2-1.75		0.8-1.2		≤ 0.035%	≤ 0.035%	0.3

WEIGHT OF ROUNDS, SQUARE, HEXAGON KG PER FEET OF MATERIALS

M.M.	SIZE	ROUND	SQUARE	HEXAGON
3.175	1/8"	0.0190	0.0241	0.0227
4.762	3/16"	0.0427	0.0545	0.0454
6.350	1/4"	0.0758	0.0963	0.0817
7.938	5/16"	0.1185	0.1512	0.1517
9.525	3/8"	0.1702	0.2170	0.1862
12.700	1/2"	0.3028	0.3859	0.3359
14.700	9/16"	0.3837	0.4887	0.4223
15.875	5/8"	0.4731	0.6026	0.5222
19.050	3/4"	0.6820	0.8688	0.7537
22.225	7/8"	0.9279	1.182	1.022
25.400	1"	1.210	1.542	1.335
28.575	1.1/8"	1.532	1.955	1.693
31.750	1.1/4"	1.894	2.410	2.008
34.925	1.3/8"	2.290	2.920	2.516
38.100	1.1/2"	2.720	3.470	3.010
44.450	1.3/4"	3.710	4.730	4.096
50.800	2"	4.850	6.170	5.350
57.150	2.1/4"	6.150	7.815	6.760
63.500	2.1/2"	7.570	9.650	8.360
69.850	2.3/4"	9.170	11.680	10.100
76.200	3"	10.900	13.900	12.030
82.500	3.1/4"	12.800	16.310	13.790
88.900	3.1/2"	14.840	18.910	16.390
95.25	3.3/4"	17.000	21.710	18.814
101.600	4"	19.380	24.700	21.406
107.95	4.1/4"	21.910	27.890	23.713
114.300	4.1/2"	24.560	31.270	27.095
120.650	4.3/4"	27.350	34.830	30.451
127.000	5"	30.300	38.590	33.451
133.350	5.1/4"	33.420	42.550	36.880
139.700	5.1/2"	36.670	46.670	40.475
146.050	5.3/4"	40.090	51.020	44.238
152.400	6"	43.600	55.580	48.170
158.750	6.1/4"	47.350	60.340	52.255
165.100	6.1/2"	51.200	65.290	56.523
171.450	6.3/4"	55.250	70.415	60.972
177.800	7"	59.400	75.730	65.558
190.500	7.1/2"	68.210	86.895	75.275
203.200	8"	77.500	98.880	85.625
215.90	8.1/2"	87.672	111.640	96.657
228.600	9"	99.760	125.168	108.370
241.300	9.1/2"	109.514	139.425	120.765
254.000	10"	121.300	154.496	133.794
266.700	10.1/2"	133.780	170.341	147.505
279.400	11"	146.700	186.957	161.897
292.100	11.1/2"	160.475	204.345	176.970
304.800	12"	174.600	222.450	192.678

STRUCTURAL SECTION

M.S. Channels	Weight in Kg/ft	I Beam	Weight in Kg/ft
75x40	2.17	100x50	2.44
100x50	2.93	125x75	4.02
125x65	4.00	150x75	4.58
150x75	5.13	175x85	5.95
175x75	5.98	200x100	7.90
200 x 75	6.80	250 x 125	11.62
225x80	9.33	300 x 140	14.79
300 x 90	11.07	400 x 140	19.10
350x100	13.02	450x150	22.28
400x100	15.27	500x180	26.73

SHEETS SQ. FT

Gauge	MM.	WT.
26g	0.50	0.34
24g	0.63	0.41
22g	0.80	0.53
20g	1.00	0.73
18g	1.25	0.92
16g	1.60	1.17
14g	2.00	1.46
12g	2.50	2.05
10g	3.15	2.30
9g	3.85	2.69
8g	4.00	3.00

WEIGHT OF FLATS (KG) PER FEET

Width in	Thickness in mm.-												
mm	3	5	6	8	10	12	16	20	25	32	40	50	65
12	0.09	0.15	0.18	0.24	0.29								
16	0.12	0.20	0.23	0.31	0.39	0.46							
20	0.15	0.25	0.29	0.35	0.48	0.58	0.77						
25	0.19	0.31	0.37	0.49	0.61	0.74	0.96	1.20					
30	0.22	0.37	0.43	0.58	0.74	0.86	1.16	1.44	1.80				
32	0.25	0.40	0.46	0.61	0.77	0.92	1.22	0.54	1.92				
40	0.28	0.49	0.58	0.77	0.95	1.16	1.53	1.93	2.40	3.07			
50	0.37	0.61	0.74	0.95	1.19	1.44	1.93	2.38	2.99	3.83	4.27		
60	0.43	0.74	0.86	1.16	1.44	1.71	2.29	2.87	3.60	4.60	5.76	7.18	
63		0.76	0.92	1.22	1.50	1.80	2.41	3.02	3.78	4.82	6.15	7.54	
65		0.78	0.95	1.25	1.56	1.86	2.50	3.11	3.91	4.97	6.34	7.78	
75			1.5	1.44	1.80	2.17	2.87	3.60	4.49	5.73	7.18	8.98	11.67
100			1.44	1.93	2.38	2.87	3.85	4.79	5.98	7.66	9.58	11.97	15.56
125			1.80	2.38	2.99	3.60	4.79	5.98	7.47	9.58	11.97	14.96	19.45
150			2.16	2.88	3.60	4.30	5.73	7.20	8.100	11.50	14.36	17.95	23.33
175			2.52	3.35	4.30	5.19	6.89	8.63	10.76	13.78	16.75	20.94	27.22
200			2.88	3.83	4.79	5.73	7.66	9.58	11.95	15.31	19.75	23.93	31.10
225				4.31	5.28	6.80	8.42	10.52	13.17	17.23	21.54	26.92	35.00
250				4.79	5.98	7.20	9.58	11.15	14.97	19.15	23.93	29.91	38.89
300				5.75	7.18	8.63	11.50	14.45	17.96	22.97	27.72	35.89	46.66
400				7.66	9.58	11.49	15.31	19.15	23.93	30.63	38.29	47.86	62.23

Angle	
Angle	Weight in Kg/ft
20 x 3	0.275
25 x 3	0.336
25 x 5	0.55
30 x 3	0.390
35 x 5	0.80
40 x 3	0.55
40 x 5	0.92
40 x 6	1.07
50 x 5	1.16
50 x 6	1.38
65 x 6	1.77
65 x 8	2.35
65 x 10	2.87
75 x 6	2.08
75 x 8	2.72
75 x 10	3.36
100 x 6	2.81
100 x 8	3.69
100 x 10	4.55
100 x 12	5.40

Plate	
Plates	Sq. Ft.
mm.	wt.
5	3.68
6	4.42
8	5.89
10	7.36
12	8.83
16	11.77
20	14.71
22	16.18
25	18.39
28	20.60
32	23.54
36	26.48
40	29.42
45	33.09
50	36.78
56	41.19
63	46.33
80	58.84

Chequered Plate	
mm	Kg/Sq. Ft.
4	3.16
5	3.91
6	4.65
8	6.23

- ROUND : OD (MM) X OD (MM) X 0.0019 = KG PER FEET (FEET X 3.28 = METER)
- SQUARE : SIDE (MM) X SIDE (MM) X 0.0024 = KG PER FEET
- ▬ FLAT : WIDTH (MM) X THICKNESS (MM) X 0.0024 = KG PER FEET
- ⬡ HEX : SIDE (MM) X SIDE (MM) X 0.0028 = KG PER FEET

ASME PIPE SCHEDULE LIST:

Nominal Pipe Size (inches)	Nomi- nal Size DN	OD mm	Shipping Vol/m m³	Schedule No. or Wall Thickness Identifier												Austensitic Steel							
				10	20	30	STD 40	40	60	XS 80	80	100	120	140	180	XXS	5S	10S	STD 40S	XS 80S			
1/8	6	10.3	0.0001					1.73	1.73	2.41	2.41												
								0.37	0.37	0.47	0.47												
1/4	8	13.7	0.0002					2.24	2.24	3.05	3.05												
								0.63	0.63	0.80	0.80												
3/8	10	17.1	0.0003					2.31	2.31	3.20	3.20												
								0.84	0.84	1.10	1.10												
1/2	15	21.3	0.0005					2.77	2.77	3.73	3.73			4.78	7.47	1.65	2.11	2.77	3.73				
								1.27	1.27	1.62	1.62			1.95	2.55	0.81	1.02	1.29	1.65				
3/4	20	26.7	0.0007					2.87	2.87	3.91	3.91			5.56	7.82	1.65	2.11	2.87	3.91				
								1.69	1.69	2.20	2.20			2.90	3.64	1.03	1.30	1.71	2.23				
1	25	33.4	0.0011					3.38	3.38	4.55	4.55			6.35	9.09	1.65	2.77	3.38	4.55				
								2.50	2.50	3.24	3.24			4.24	5.45	1.31	2.13	2.54	3.29				
1.1/4	32	42.2	0.0018					3.56	3.56	4.65	4.65			6.35	9.70	1.65	2.77	3.56	4.85				
								3.39	3.39	4.47	4.47			5.61	7.77	1.68	2.73	3.44	4.53				
1.1/2	40	48.3	0.0023					3.68	3.68	5.08	5.08			7.14	10.15	1.65	2.77	3.68	5.08				
								4.05	4.05	5.41	5.41			7.25	9.66	1.93	3.16	4.11	5.49				
2	50	60.3	0.0036					3.81	3.81	5.54	5.54			8.74	11.07	1.65	2.77	3.91	6.54				
								5.44	5.44	7.48	7.48			11.11	13.44	2.42	3.99	5.52	7.60				
2.1/2	65	73.0	0.0053					5.16	5.16	7.01	7.01			9.53	14.02	2.11	3.05	5.16	7.01				
								8.63	8.63	11.41	11.41			14.92	20.39	3.75	5.35	8.77	11.59				
3	80	68.9	0.0079					5.49	5.49	7.62	7.62			11.13	15.24	2.11	3.05	5.49	7.62				
								11.29	11.29	15.27	15.27			21.35	27.68	4.59	6.56	11.47	15.51				
3.1/2	101.6	0.0103						5.74	5.74	8.08	8.08					2.11	3.05	5.74	8.08				
								13.57	13.57	18.63	18.63					5.26	7.53	13.78	18.92				
4	100	114.3	0.0130					6.02	6.02	8.56	8.56			11.13	13.49	17.12	2.11	3.05	6.02	8.56			
								16.07	16.07	22.32	22.32			28.32	33.54	41.03	5.93	6.50	16.35	22.64			
5	125	141.3	0.0200					6.55	6.55	9.53	9.53			12.70	15.88	19.05	2.77	3.40	6.55	9.53			
								21.77	21.77	30.97	30.97			40.28	49.11	57.43	9.61	11.74	22.10	31.44			
6	150	168.3	0.0280					7.11	7.11	10.97	10.97			14.27	18.26	21.95	2.77	3.40	7.11	10.97			
								28.26	28.26	42.56	42.56			54.20	67.66	79.22	11.48	14.04	28.70	43.22			
8	200	219.1	0.0480					6.35	7.04	8.18	10.31	12.70	12.70	15.09	18.26	23.01	22.23	2.77	3.76	8.18	12.70		
				33.31	36.81	42.55	42.55	53.08	64.64	64.64	75.92	90.44	100.92	111.27	107.92	14.90	20.12	42.55	64.64				
10	250	273.0	0.0750					6.35	7.80	9.27	9.27	12.70	12.70	15.09	18.26	21.44	25.40	28.58	25.40	3.40	4.19	9.27	12.70
				41.77	51.03	60.31	60.31	61.55	61.55	96.01	114.75	133.06	155.15	172.33	155.15	22.95	28.20	61.22	96.01				
12	300	323.8	0.1050					6.35	8.38	9.53	10.31	14.27	12.70	17.48	21.44	25.40	28.58	33.32	25.40	3.96	4.57	9.53	12.70
				49.73	65.20	73.88	79.73	108.96	97.46	132.08	159.91	186.97	208.14	238.76	186.97	31.71	36.53	74.94	132.08				
14	350	350.6	0.1260					6.35	7.02	9.53	9.53	11.13	15.09	12.70	19.05	23.83	27.79	31.75	35.71	3.96	4.78		
				54.69	67.90	81.33	81.33	94.55	126.71	107.39	158.10	194.96	224.65	253.56	281.70	34.87	41.99						
16	400	406.4	0.1650					6.35	7.92	9.53	9.53	12.70	16.66	12.70	21.44	26.19	30.96	36.53	40.49	4.19	4.78		
				62.64	77.83	93.27	93.27	123.30	160.12	123.30	203.53	245.56	286.64	333.19	365.35	42.20	48.07						
18	450	457.2	0.2090					6.35	7.92	11.13	9.53	14.27	19.05	12.70	23.63	29.36	34.93	39.67	45.24	4.19	4.78		
				70.57	87.71	122.38	105.16	155.80	205.74	139.15	254.55	309.62	363.56	408.26	459.37	47.53	54.15						
20	500	508.0	0.2580					6.35	9.53	12.70	9.53	15.09	20.62	12.70	26.19	32.54	38.10	44.45	50.01	4.78	5.54		
				78.55	117.15	155.12	117.15	163.42	247.83	155.12	311.17	381.53	441.49	508.11	564.81	60.23	69.70						
22		558.8	0.3120					6.35	9.53	12.70	9.53		22.23	12.70	28.58	34.93	41.28	47.63	53.98	4.78	5.54		
				66.54	129.13	171.09	129.13		294.25	171.09	373.83	451.42	527.02	600.63	672.26	66.31	76.75						
24	600	609.6	0.3720					6.35	9.63	14.27	9.53	17.48	24.61	12.70	30.96	38.89	46.02	52.37	59.54	5.54	6.35		
				94.53	141.12	209.64	141.12	255.41	355.26	187.06	442.08	547.71	640.03	720.15	808.22	83.80	95.92						
26		660.4	0.4360					7.92	12.70		9.53			12.70									
				127.36	202.72		152.87			202.72													
28	700	711.2	0.5060					7.92	12.70	15.88	9.53			12.70									
				137.32	218.69	272.23	164.85			218.69													
30		762.0	0.5810					7.92	12.70	15.88	9.53			12.70									
				147.25	234.67	292.18	176.80			234.67													
32	800	812.8	0.6610					7.92	12.70	15.88	9.53	17.48		12.70									
				157.24	250.64	312.15	188.82	342.91		250.64													
34		663.6	0.7460					7.92	12.70	15.88	9.53	17.48		12.70									
				167.20	266.61	332.12	200.31	364.90		266.61													
36	900	914.4	0.8360					7.92	12.70	15.88	9.53	19.05		12.70									
				176.96	282.27	351.70	212.56	420.42		282.27													
38		985.2	0.8320					9.53				12.70											
							224.54			298.24													
40	1000	1016.0	1.0320					9.63				12.70											
							236.53			314.22													
42		1066.8	1.1390					9.53				12.70											
							248.48			330.15													
44	1100	1117.6	1.2490					9.53				12.70											
							260.42			346.06													
46		1168.4	1.3650					9.53				12.70											
							272.36			361.97													
48	1200	1219.2	1.4860					9.53				12.70											
							284.30			377.88													

Dimensions in mm and Weights in kg/m. ASME B36.10 and ASME B36.19 (indicated with suffix "S")

Why Us?

Our unmatched quality standards has already won and still continuously winning accolades over the years. SUMAN STEELS INDIA LLP is a name recommended by customers across the globe. Apart from offering high quality standards, SUMAN STEELS INDIA LLP is driven by core values to conduct business fairly, with transparency in our processes.

We work cohesively with our customers and partners around the world building strong relationships based on understanding and mutual cooperation that instills confidence in them to select us as their trusted partners and form long term association.

- 1) **Customer Service Top Notch Priority:** Customer satisfaction is our top most priority and we extend all possible support to ensure cordial and long lasting relationship. We strive hard to check for relevant policies and honour deals that prosper our clients too.
- 2) **Customisation:** At SUMAN STEELS INDIA LLP, customers enjoy the freedom of having customized supply of steel and other alloys cut and sized as per your requirements in AISI, DIN, EN and JIS standard at very affordable rates.
- 3) **Location Advantage:** Having closely located to the raw material sources, we can deliver products with a faster turnaround times at economical rates.
- 4) **Shorter Lead Times:** Location proximity not only allows us to shorten the lead time but also helps us to deliver quality products at a competitive pricing.
- 5) **High End Infrastructure:** Our high-end infrastructure gives us a cutting edge over other players in the industry.

Contact Details :-

2,3,4 RICHA TRADE CENTRE,
OPP NEXA & MAHINDRA SHOWROOM,
SATIVALI ROAD VASAI EAST,
MUMBAI- 401208,
MAHARASHTRA, INDIA

☎ : +91- 250-6601170
+91- 9808 910 910
+91- 9808 991 991

🌐 : www.sumansteels.com
✉ : info@sumansteels.com
✉ : sumansteel@gmail.com

Contact Persons:-

Dr. NIILESH N SHAH

☎ : +91 9821148571

Mr. NAITULL N SHAH

☎ : +91 9702448596

Mr. BHAUMIK N SHAH

☎ : +91 9702448501